

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	46	(given adj size) and magnet and slot and shaft and mold\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 14:04
L3	12	(given adj size adj armature) and magnet and slot and shaft and mold\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 14:05

## EAST Search History

L7	141	("1642057"   "2019064"   "2232812"   "2381533"   "2618757"   "2683233"   "2747119"   "2820914"   "2822483"   "2949555"   "2997776"   "3151262"   "3182383"   "3212170"   "3388458"   "3407491"   "3427264"   "3436815"   "3468020"   "3588560"   "3618929"   "3688137"   "3737988"   "3758799"   "3813294"   "3874073"   "3911299"   "3939020"   "3991152"   "4038741"   "4083735"   "4087712"   "4128527"   "4159562"   "4219748"   "4235656"   "4263711"   "4341972"   "4349760"   "4387311"   "4399949"   "4434546"   "4553320"   "4559464"   "4560893"   "4616407"   "4624884"   "4682410"   "4782254"   "4800315"   "4818910"   "4823032"   "4888508"   "4908534"   "4908535"   "4918801"   "4922604"   "4938866"   "4963776"   "4983866"   "4998448"   "5003212"   "5095612"   "5121021"   "5130596"   "5141768"   "5199992"   "5201248"   "5233249"   "5244608"   "5267140"   "5268607"   "5313698"   "5329199"   "5341561"   "5352948"   "5384339"   "5449963"   "5459190"   "5477092"   "5490319"   "5567284"   "5572787"   "5584114"   "5606791"   "5634258"   "5668428"   "5714827"   "5715590"   "5727307"   "5731646"   "5731651"   "5783877"   "5783888"   "5806169"   "5821654"   "5845389"   "5908883"   "5911685"   "5921913"   "5925467"   "5955812"   "5960532"   "5964694"   "5982056"   "5998905"   "6020661"   "6057626"   "6060799"   "6078121"   "6139487"   "6145585"   "6166468"   "6171418"   "6173915"   "6214906"   "6268678"   "6281612"   "6317963"   "6362554").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/30 14:41
----	-----	--	------------------------------	----	----	------------------

## EAST Search History

L8	0	(156/?).ccls. and ((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and shaft and motor and (stator or motor) and (mold or molding)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 14:45
L9	3	(29/596).ccls. and ((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and shaft and motor and (stator or motor) and (mold or molding) and (given adj size)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 14:48
L10	5	(29/592,597,598).ccls. and ((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and shaft and motor and (stator or motor) and (mold or molding) and (given adj size)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 14:48
L11	1	(29/605,606,733).ccls. and ((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and shaft and motor and (stator or motor) and (mold or molding) and (given adj size)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 14:53
L16	1	(264/272.2).ccls. and ((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and shaft and motor and (stator or motor) and (mold or molding)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 15:09
L17	22	(310/43,215,235).ccls. and ((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and shaft and motor and (stator or motor) and (mold or molding)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 14:55
L18	10	(310/43,215,235).ccls. and ((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and shaft and motor and (stator or motor) and (mold or molding) and (given adj size)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 14:56

## EAST Search History

L19	9	((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and shaft and motor and (stator or motor) and (mold or molding) and (given adj size)	US-PGPUB	OR	ON	2006/03/30 14:56
L29	1	(156/307.1).ccls. and ((magnet or magnetic) with (conductor or wire or wiring) same slot) and (lamination or laminated or laminating) and motor and (stator or motor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/30 15:11